

STRAPPING TOOLS



From basic tensioner and sealer up to high-tech battery powered strapping tool, Transpak offers you the most comprehensive product line of strapping tools. All of our strapping tools are made in Taiwan in our ISO 9001 certified factory, with PRIDE!

In this category, we have four product lines for different strapping materials as follows:

- Strapping Tools for PET and Heavy Duty PP Strapping
- Strapping Tools for PP Strapping
- Strapping Tools for Cord Strapping
- Strapping Tools for Steel Strapping

STRAPPING TOOLS

FOR PLASTIC & STEEL STRAPPING

Strapping Tools for PET and Heavy Duty PP Strapping

Strapping Tools for PP Strapping



H-23 Tensioner

- Strap width: 12 mm-19 mm
- 20 pcs / carton



H-21 Tensioner

- Strap width: 12 mm-19 mm
- 20 pcs / carton



H-36 Sealer

- Offset grip
- For use with serrated seals
- Handle length 460 mm
- Strap width: 12 mm, 16 mm
- 10 pcs / carton



H-34 Sealer

- Triple friction grip
- Handle length 460 mm
- Strap width: 12 mm, 16 mm, 19 mm
- 10 pcs / carton



Hercules

H-44 Combination Tool

- Designed for heavy duty applications
- Max. tension force **300 kg**
- For use with serrated seals
- Optional handle for horizontal applications
- Strap width: 12 mm, 16 mm
- 6 pcs / carton



H-35 Sealer

- Triple friction grip
- Handle length 390 mm
- Strap width: 12 mm, 16 mm
- 10 pcs / carton



Kronos

H-46 Power Tool

- Bosch battery and charger
- Friction weld sealing
- Digital touch panel
- Max. tension force **400 kg**
- Strap width:
 - H-46A for 11 mm-13 mm, 15 mm-16 mm
 - H-46B for 15 mm-16 mm, 19 mm

(See details in H-46 catalogue)



H-42 Combination Tool

- Using cogwheel to drive windlass guarantees high tension and save effort
- Strap width: 12 mm, 16 mm
- 6 pcs / carton



Kronos

H-46 Power Tool

- Bosch battery and charger
- Friction weld sealing
- Digital touch panel
- Max. tension force **400 kg**
- Strap width:
 - H-46A for 11 mm-13 mm, 15 mm-16 mm
 - H-46B for 15 mm-16 mm, 19 mm

(See details in H-46 catalogue)

Strapping Tools for Cord Strapping

Strapping Tools for Steel Strapping



H-22 Tensioner

- Strap width: 9 mm-19 mm
- 20 pcs / carton



H-16 Cutter

- "SAE 4140" high carbon steel drop forged
- Strap width: up to 30 mm
- 30 pcs / carton



H-25 Tensioner

- Medium duty range
- Strap width: 9 mm-25 mm
- 10 pcs / carton



H-17 Cutter

- Heavy duty
- "SAE 4140" high carbon steel drop forged
- Strap width: up to 50 mm
- 6 pcs / carton



H-26 Tensioner

- Machining made of alloy steel
- Heavy duty range
- Strap width: 25 mm-40 mm
- 6 pcs / carton



H-54 Tensioner

- Strap width: 9 mm-19 mm
- 10 pcs / carton



H-27 Tensioner

- Machining made of alloy steel
- Heavy duty range
- Strap width: 25 mm-50 mm
- 6 pcs / carton



H-55 Tensioner

- Heavy duty range
- Strap width: 9 mm-19 mm
- 10 pcs / carton



H-65 Sealer

- Strap width: 9 mm, 12 mm, 16 mm, 19 mm
- 20 pcs / carton



Two-Year warranty for
H-44, H-46, H-25, H-26 and H-27

Strap Dispensers for Plastic and Steel Strapping

Every Transpak strapping tool is manufactured under strict quality control. The mechanical components are made with high-level accuracy and durability; these are all to ensure high quality and long product lifespan.


Transpak guarantees you great quality, high durability, and low maintenance cost. Selling Transpak's products means you are selling **quality** and **value**.



15F-1, NO. 17, SEC. 1, CHENGDE ROAD,
TAIPEI 103, TAIWAN
TEL: 886 2 2555 2515
FAX: 886 2 2555 2516
WEB: www.transpakcorp.com
E-mail: transpak@transpak.com.tw

Made in Taiwan

11.2017x1000



H-84 Strap Dispenser

- For both plastic and oscillated wound steel strapping
- Robust design for heavy duty use
- Strap core I.D. 406 mm
- Face 75 mm or 150 mm
- 1 pc / carton



H-83 Strap Dispenser

- For plastic strapping
- Strap core I.D. 200 mm, 280 mm
- 2 pcs / carton



H-83E Strap Dispenser

- For plastic strapping
- Strap core I.D. 200 mm, 280 mm
- Economy model
- 2 pcs / carton



H-91 Strap Dispenser

- For cord strapping
- Strap core I.D. 76 mm
- 2 pcs / carton



H-95 Strap Dispenser

- For ribbon wound steel strapping
- Max. O.D. 615 mm
- Strap width: H-95A for 9 mm-22 mm
H-95B for 23 mm-32 mm
- 2 pcs / carton



All specifications are subject to change without notice.